

	Type	L #	Hits	Search Text	DBs	Time Stamp
<b>1</b>	<b>BRS</b>	<b>L1</b>	<b>1052</b>	<b>spool and (brak\$ adj device)</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB</b>	<b>2005/07/23 13:11</b>
<b>2</b>	<b>BRS</b>	<b>L2</b>	<b>10383</b>	<b>reel and brake</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB</b>	<b>2005/07/23 13:12</b>
<b>3</b>	<b>BRS</b>	<b>L3</b>	<b>124648</b>	<b>rotational adj speed</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB</b>	<b>2005/07/23 13:12</b>
<b>4</b>	<b>BRS</b>	<b>L4</b>	<b>739</b>	<b>2 and 3</b>	<b>US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB</b>	<b>2005/07/23 13:12</b>

	Type	L #	Hits	Search Text	DBs	Time Stamp
5	BRS	L5	219841	predetermined adj value	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
6	BRS	L6	83	4 and 5	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:12
7	BRS	L7	44	(maximum or peak) and 6	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46
8	BRS	L8	4229	line near tension	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	3	7 and 8	US- PGPUB; USPAT; EPO; JPO; DERWEN T; IBM_TDB	2005/07/23 13:46